



BIDS AND AWARDS COMMITTEE

July 22, 2025

SUPPLEMENTAL BID BULLETIN (SBB) NO. 04 Series of 2025

TO ALL PROSPECTIVE BIDDERS FOR THE FOLLOWING PROJECTS:

Lot	PROJECT	SOURCE OF FUND	APPROVED BUDGET FOR THE CONTRACT (ABC)	BIDDING DOCS FEE (PHP)
1	Purchase of Conductors for Operations and Maintenance of Distribution Lines	RFSC	15,690,970.00	25,000.00
2	Outsourcing of Manpower Services for Massive Change Meter Activity for Average Billed Accounts	General Fund	3,826,000.00	5,000.00
3	Purchase of kWh Meters for Residential Accounts	RFSC	24,000,000.00	25,000.00
4	Purchase of Line Hardware for Buffer Stock for Operations (Contingency)		19,601,670.00	25,000.00
5	Purchase of Line Hardware and Materials as Buffer Stock for Emergency/ Calamities	Buffer Fund	8,964,919.50	10,000.00

This SBB No. 04 dated July 21, 2025, for the aforementioned projects is being issued in response to the queries raised during the Pre-bid Conference held last July 16, 2025, as well as modify certain items of the Bidding Documents that shall form as an integral part of the Bidding Documents.

1. Change of schedule for the following bidding activities:

ACTIVITY	FROM		TO	
	DATE	TIME	DATE	TIME
Deadline of Submission of Bids	Monday, July 28, 2025	12:59 PM	Wednesday, July 30, 2025	12:59 PM
Bid Opening	Monday, July 28, 2025	1:00 PM	Wednesday, July 30, 2025	1:00 PM

*Late submissions shall not be accepted





2. General Amendments/Clarifications:

PARTICULARS/CONCERNS	AMENDMENTS/ CLARIFICATIONS
a. Lot 3 - Delivery Schedule	a. 15 days upon receipt of Purchase Order (PO) to be completed within 45 days Initial delivery – 3,000 units 2 nd delivery – best offer 3 rd delivery - completion of all 15,000 units
b. Modification on the Approved Budget for the Contract (ABC) for Lot 5	b. From Php 8,964,919 to 8,964,679.50
c. Modification/Additional on the Checklist of Requirements	c. Lot 2 From 3 years to 2 years Lots 4 and 5 – Additional: Manufacturer's Certificate (Original)

3. Revised Technical Specifications for Lots 4 and 5 (refer to Annex "A")

Issued this 22nd day of July, 2025 at ALECO Main Office, W. Vinzon Street, Albay District, Legazpi City.

By the Authority of the Bids and Awards Committee:

HAYSLI I. LUCILO
BAC Chairman

Approved by:

WILFREDO O. BUCSIT
Acting General Manager



SECTION III – Technical Specifications

Purchase of Line Hardware for Buffer Stock for Operations (Contingency)

DESCRIPTION/SPECIFICATION	QTY	UOM
ANCHOR, EXPANDING, 8-WAY, GALVANIZED	120	Piece
ARRESTER, LIGHTNING, STATION TYPE, 10-12KV, POLYMER	300	Piece
ATTACHMENT, GUY, MALLEABLE TYPE WITH 11/16" HOLE DIAMETER	300	Piece
BOLT, CARRIAGE 3/8" X 4-1/2", HOT DIP GALVANIZED	250	Piece
BOLT, DOUBLE ARMING 3/4" X 22", HOT DIP GALVANIZED	200	Piece
BOLT, DOUBLE ARMING 5/8" X 20", HOT DIP GALVANIZED	650	Piece
BOLT, DOUBLE ARMING 5/8" X 22", HOT DIP GALVANIZED	500	Piece
BOLT, DOUBLE ARMING 5/8" X 24", HOT DIP GALVANIZED	500	Piece
BOLT, MACHINE 1/2" X 06", HOT DIP GALVANIZED	500	Piece
BOLT, MACHINE 1/2" X 08", HOT DIP GALVANIZED	600	Piece
BOLT, MACHINE 1/2" X 10", HOT DIP GALVANIZED	500	Piece
BOLT, MACHINE 5/8" X 14", HOT DIP GALVANIZED	500	Piece
BOLT, OVAL EYE 5/8" X 09", HOT DIP GALVANIZED, FORGED	300	Piece
BOLT, OVAL EYE 5/8" X 12", HOT DIP GALVANIZED, FORGED	200	Piece
BOLT, OVAL EYE 5/8" X 14", HOT DIP GALVANIZED, FORGED	300	Piece
BOLT, SINGLE UPSET 5/8" X 08", HOT DIP GALVANIZED, FORGED	200	Piece
BOLT, SINGLE UPSET 5/8" X 12", HOT DIP GALVANIZED, FORGED	500	Piece
BOLT, SINGLE UPSET 5/8" X 14", HOT DIP GALVANIZED, FORGED	200	Piece
BOLT, THIMBLE EYE, 5/8" X 12", Straight Type, HOG, Forged	200	Piece
BOLT, THIMBLE EYE, 5/8" X 14", Straight Type, HOG, Forged	200	Piece
BRACE, CROSSARM, 60" - 18" DROP	300	Piece
BRACE, SIDEARM, DIAGONAL, 7', STEEL, HOT DIP GALVANIZED	300	Piece
CLAMP, LOOP DEADEND, #4/0 ACSR	300	Piece
CLAMP, LOOP DEADEND, #6 TO #2/0 ACSR	500	Piece
CLAMP, POLE MOUNTING ADAPTER (5-6), TYPE RL	600	Piece
CLAMP, STIRRUP, #1/0 - #397.5 ACSR	200	Piece
CLAMP, STRAIN, DEADEND, GUN-TYPE, #2/0 ACSR, 2U-BOLTS, W/O SOCKET EYE	200	Piece
CLAMP, STRAIN, DEADEND, GUN-TYPE, #336.4 MCM, 4U-BOLTS, W/O SOCKET EYE	300	Piece
CLAMP, STRAIN, DEADEND, GUN-TYPE, #4/0 ACSR, 2U-BOLTS, W/O SOCKET EYE	300	Piece
CLUSTER METERSHED / CLUSTER BOX,(5 KWH METER CAPACITY). G.I. GAUGE #16, NO WELDED PARTS, HORIZONTAL	2,000	Set
CONDUCTOR, BARE, ACSR #4 AWG	3,000	Meter
CONNECTOR, COMPRESSION, YHD 250, RUN #1 - #4/0 -TAP #6 - #2	3,000	Piece
CONNECTOR, COMPRESSION, YHD-300, RUN #1/0-#2/0 - TAP #1/0-#2/0	2,500	Piece
CONNECTOR, COMPRESSION, YHD-350, RUN #3/0-#4/0 - TAP #1-#2/0	2,000	Piece
CONNECTOR, COMPRESSION, YHD-400, RUN #2/0-#4/0 - TAP #2/0-#4/0	3,000	Piece
CONNECTOR, COMPRESSION, YHO 150, RUN #3 - #1/0 -TAP #6 - #2	1,000	Piece
CONNECTOR, PARALLEL GROOVE, 3 BOLT, #2/0 TO #336.4 MCM	500	Piece
CONNECTOR, WEDGE TYPE, #336 - #336 MCM	300	Piece
CONNECTOR, WEDGE TYPE, TERMINAL LOG, 4 HOLE, #336 - #336 MCM	100	Piece
CROSSARM, STEEL, 3" X 4" X 10', 3 MM, HOT DIP GALVANIZED	500	Piece
FUSE CUTOFF, 100A, 15KV, PORCELAIN	250	Unit
FUSE CUTOFF, 200A, 15KV, PORCELAIN	50	Unit
FUSE LINK, 100A, TYPE K, BOTTOM HEAD	50	Piece
FUSE LINK, 10A, TYPE K, BOTTOM HEAD	1,500	Piece
FUSE LINK, 12A, TYPE K, BOTTOM HEAD	100	Piece
FUSE LINK, 140A, TYPE K, BOTTOM HEAD	50	Piece
FUSE LINK, 15A, TYPE K, BOTTOM HEAD	150	Piece
FUSE LINK, 20A, TYPE K, BOTTOM HEAD	150	Piece
FUSE LINK, 25A, TYPE K, BOTTOM HEAD	150	Piece
FUSE LINK, 2A, TYPE K, BOTTOM HEAD	1,000	Piece
FUSE LINK, 30A, TYPE K, BOTTOM HEAD	150	Piece
FUSE LINK, 3A, TYPE K, BOTTOM HEAD	2,000	Piece
FUSE LINK, 40A, TYPE K, BOTTOM HEAD	150	Piece
FUSE LINK, 50A, TYPE K, BOTTOM HEAD	300	Piece
FUSE LINK, 5A, TYPE K, BOTTOM HEAD	1,500	Piece
FUSE LINK, 65A, TYPE K, BOTTOM HEAD	200	Piece
FUSE LINK, 6A, TYPE K, BOTTOM HEAD	300	Piece
INSULATOR, PIN TYPE, PORCELAIN, ANSI, CLASS 55-5	800	Piece
INSULATOR, PIN TYPE, PORCELAIN, ANSI, CLASS 56-2	100	Piece
INSULATOR, PIN TYPE, PORCELAIN, ANSI, CLASS 56-1	100	Piece
INSULATOR, SPOOL, PORCELAIN, 3", ANSI, CLASS 53-4	1,800	Piece
INSULATOR, SUSPENSION, PORCELAIN, 6", ANSI, CLASS 52-1	1,800	Piece
METER BASE, CL-200, 7-JAWS, FM16S, SOCKET TYPE, RECTANGULAR	50	Unit
NUT, LOCK, SQUARE, MF TYPE, CURVED, 5/8"	1,000	Piece
NUT, OVAL EYE, 5/8", CONVENTIONAL	200	Piece
PIN, CROSSARM, CLAMP TYPE, 1" THREAD DIA. HOT DIP GALVANIZED	300	Piece
PIN, CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP GALVANIZED	200	Piece
PIN, CROSSARM, STEEL, 5/8" X 13-3/4", HOT DIP GALVANIZED	200	Piece
PIN, POLE TOP, CHANNEL, 1" THREAD, 20" LONG, HOT DIP GALVANIZED	300	Piece
ROD, ANCHOR, THREADED, SINGLE EYE, 5/8" X 07", HOT DIP GALVANIZED, FORGED	300	Piece
SHACKLE, ANCHOR, 5/8", FORGED STEEL, HOT DIP GALVANIZED	200	Piece
SPLICE, AUTOMATIC, CONDUCTOR, #3/0 ACSR, SHORT JAW	300	Piece
SPLICE, AUTOMATIC, CONDUCTOR, #4/0 ACSR, LONG JAW	300	Piece
SPLICE, AUTOMATIC, CONDUCTOR, 336.4 MCM, LONG JAW (18/1 ACSR)	300	Piece
WASHER, ROUND, 1-3/8" DIAMETER W/ 9/16" DIA. HOLE	3,000	Piece
WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16", 13/16"HOLE	3,000	Piece
WIRE, GROUND, ALUMINUM ALLOY, #4 AWG, 3-STRAND	3,000	Feet
WIRE, GROUND, GALVANIZED, 3-STRAND, 5/16" DIAMETER	2,000	Feet
WIRE, GUY, STEEL, 3/8", 7 STRAND	6,000	Feet

SECTION III – Technical Specifications

Purchase of Line Hardware and Materials as Buffer Stock for Emergency/Calamities

SPECIFICATIONS	QTY	UOM	STATE OF COMPLIANCE	REMARKS
ATTACHMENT, GUY, MALLEABLE TYPE WITH 11/16" HOLE DIAMETER	60	Piece		
BOLT, CARRIAGE 3/8" X 4-1/2", HOT DIP GALVANIZED	40	Piece		
BOLT, DOUBLE ARMING 5/8" X 24", HOT DIP GALVANIZED	60	Piece		
BOLT, MACHINE 1/2" X 06", HOT DIP GALVANIZED	40	Piece		
BOLT, MACHINE 1/2" X 10", HOT DIP GALVANIZED	70	Piece		
BOLT, MACHINE 5/8" X 08", HOT DIP GALVANIZED	20	Piece		
BOLT, MACHINE 5/8" X 10", HOT DIP GALVANIZED	129	Piece		
BOLT, MACHINE 5/8" X 12", HOT DIP GALVANIZED	20	Piece		
BOLT, MACHINE 5/8" X 14", HOT DIP GALVANIZED	20	Piece		
BOLT, OVAL EYE 5/8" X 10", HOT DIP GALVANIZED, FORGED	76	Piece		
BOLT, OVAL EYE 5/8" X 12", HOT DIP GALVANIZED, FORGED	100	Piece		
BOLT, OVAL EYE 5/8" X 18", HOT DIP GALVANIZED, FORGED	60	Piece		
BRACE, CROSSARM, 60" - 18" DROP	20	Piece		
BRACE, CROSSARM, STEEL, 28", STEEL HOT DIP GALVANIZED	40	Piece		
BRACKET, CLEVIS DEAD-END WITHOUT SPOOL	29	Piece		
CLAMP, ANCHOR ROD BONDING, SINGLE EYE, 5/8"	50	Piece		
CLAMP, ANCHOR ROD BONDING, TWIN EYE, 3/4"	20	Piece		
CLAMP, GUY, STRAIGHT, 3 BOLT, HEAVY DUTY STEEL, HOT DIP GALVANIZED	180	Piece		
CLAMP, HOT LINE, #3/0 - #336.40 ACSR MAIN TO #3/0 - #336.40	30	Piece		
CLEVIS, SECONDARY, SWINGING, W/O SPOOL, HOT DIP GALVANIZED	116	Piece		
CONDUCTOR, DUPLEX, #1/0 AWG 6/1	10,000	Meter		
CONDUCTOR, DUPLEX, #2/0, AWG 6/1	5,000	Meter		
CONDUCTOR, DUPLEX, #6 AWG 6/1	103,000	Meter		
CONDUCTOR, INSULATED, ACSR, #2/0, AWG 6/1	3,000	Meter		
CONNECTOR, COMPRESSION, YHD 250, RUN #1 - #4/0 -TAP #6 - #2	170	Piece		
CONNECTOR, COMPRESSION, YHD-400, RUN #2/0-#4/0 - TAP #2/0-#4/0	30	Piece		
CONNECTOR, GROUND ROD (CLAMP) STEEL ROD, 5/8"	30	Piece		
CONNECTOR, WEDGE TYPE, #336 - #336 MCM	30	Piece		
FUSE CUTOUT, 100A, 15KV, PORCELAIN	50	Unit		
FUSE CUTOUT, 200A, 15KV, PORCELAIN	20	Unit		
HOOK, GUY, 1-3/4" X 3/8" X 4", 11/16"HOLE	60	Piece		
INSULATOR, PIN TYPE, PORCELAIN, ANSI, CLASS 55-5	70	Piece		
INSULATOR, SPOOL, PORCELAIN, 1-3/4", ANSI, CLASS 53-2	10	Piece		
INSULATOR, SPOOL, PORCELAIN, 3", ANSI, CLASS 53-4	135	Piece		
INSULATOR, SUSPENSION, CLEVIS TYPE, PORCELAIN 6" DIA., CLASS 52-1	240	Piece		
NUT, LOCK, SQUARE, MF TYPE, CURVED, 3/8"	50	Piece		
NUT, LOCK, SQUARE, MF TYPE, CURVED, 5/8"	526	Piece		
NUT, OVAL EYE, 5/8", CONVENTIONAL	139	Piece		
PIN, CROSSARM, STEEL, 5/8" X 14", 1-3/8"DIA. THREAD	40	Piece		
PIN, POLE TOP, CHANNEL, 1" THREAD, 1 3/8" X 25" LONG, HOT DIP GALVANIZED	30	Piece		
ROD, ANCHOR, THREADED, SINGLE EYE, 5/8" X 07", HOT DIP GALVANIZED, FORGED	79	Piece		
ROD, ARMOR, PREFORMED, #2/0 ACSR SINGLE SUPPORT (10 PCS/SET)-BLUE	19	Set		
ROD, ARMOR, PREFORMED, #336.4 MCM ACSR DOUBLE SUPPORT (12 PCS/SET)	30	Set		
ROD, ARMOR, PREFORMED, #336.4 MCM ACSR SINGLE SUPPORT (12 PCS/SET)-GREEN	10	Set		
ROD, ARMOR, PREFORMED, #4/0 ACSR SINGLE SUPPORT (11 PCS/SET)-RED	10	Set		
ROD, GROUND, STEEL, GALVANIZED, 5/8" X 10	30	Piece		
ROD, TAPPING, PREFORMED, #336.4 ACSR	30	Set		
SHACKLE, ANCHOR, 5/8", FORGED STEEL, HOT DIP GALVANIZED	60	Piece		
SPACER, PIPE, 3/4" X 1-1/2", HOT DIP GALVANIZED	20	Piece		
WASHER, ROUND, 1-3/8" DIAMETER W/ 9/16" DIA. HOLE	50	Piece		
WASHER, SQUARE, CURVED, 3" X 3" X 5/16" W/ 11/16" DIA. HOLE	60	Piece		
WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16", 13/16"HOLE	435	Piece		
WASHER, SQUARE, FLAT, 4" X 4" X 1/2", 7/8"HOLE	79	Piece		
WIRE, GROUND, ALUMINUM ALLOY, #4 AWG, 3-STRAND	1,550	Feet		
WIRE, GUY, STEEL, 3/8", 7 STRAND	4,500	Feet		
WIRE, TAPE, ARMOR, ALUMINUM ALLOY, 0.5" X 0.3" (FEET)	136	Feet		
WIRE, TIE, ALUMINUM ALLOY, SOFT, #4 AWG (FEET)	756	Feet		
WIRE, TIE, INSULATED, SOFT, #4 AWG	40	Feet		
CLAMP, LOOP DEADEND, #2/0 ACSR	72	Piece		
POLE, STEEL, 30', BARE-4.0 MM, 86 MICRON, 750 KGS. (MINIMUM LOAD BREAK)	18	Piece		
ANCHOR, LOG, CONCRETE, 8" X 4"	50	Piece		
CROSSARM, STEEL, 3" X 4" X 8', 3 MM, HOT DIP GALVANIZED	40	Piece		
POLE, STEEL, 40', BARE-4.0 MM, 86 MICRON, 850 KGS. (MINIMUM LOAD BREAK)	20	Piece		
POLE, STEEL, 45', 4.0 MM, 86 MIRCON, 850KGS (MINIMUM LOAD BREAK)	10	Piece		
CLAMP, DEAD-END STRAIN, #336.4 ACSR	116	Piece		